





Design features:

- Produced from high-grade, compression molded fiberglass for optimum strength.
- Fits 60" wide by 30" deep alcove.
- Drain hole is offset 8-1/2" x 15" for connection to 2" DWV piping.
- Smooth, semi-gloss finish. Slip resistant surface.
- Mold and mildew-resistant...easy to clean.
- 360.100 Entry Ramp (order separately) creates curbless entry and exit for wheelchairs and walkers.
- Optional drain kit is available for connecting to existing 1-1/2" bathtub DWV line.
- Fits DURAWALL[®] Shower Walls (see Accessories) as well as ceramic tile or preformed wall kit.

Code Accepted:


- International Association of Plumbing and Mechanical Officials (IAPMO)[®] Listed US & CSA Standard
- American National Standards Institute (ANSI) Specification ANSI Z 124-2017
- American Society of Testing and Materials (ASTM) E-84
- International Code Council ICC/ANSI A117.1
- Canadian Standards Association CSA B45.5-17

Specifications


Model	Color	Drain Location	Fits Alcove	UPC	
Barrier-Free	Shower Floor 30" x 60	и			
360R	White	Right hand	30" x 60"	6 71031 00271 6	
360L	White	Left hand	30" x 60"	6 71031 00273 0	
Entry Ramp (Order separately) 12"	deep x 60" wide			
360.100	White	_	_	6 71031 00275 4	

General: Furnish and install as shown on plans, barrier-free DURABASE® Shower Floor Model 360 as manufactured by E.L. Mustee & Sons, Inc. Shower floor to be one-piece, compression molded fiberglass. Surface to be slip resistant design. Size: $30^{\circ} \times 60^{\circ}$. Shoulder will be not less than $3-1/16^{\circ}$ high or less than $1-1/4^{\circ}$ wide. Tiling flange will extend not less than 1° higher than shoulder. Shower floors shall not have curb used in conjunction with $12^{\circ} \times 60^{\circ}$ entry ramp per ADA requirements. Drain available on right or left side, offset $8-1/2^{\circ} \times 15^{\circ}$. Shall meet ANSI Z 124-2017. Color: White. Install in compliance with local codes.

General: Furnish and install as shown on plans Shower Floor Entry Ramp Model 360.100, as manufactured by E.L. Mustee & Sons, Inc. Ramp to be one piece, molded fiberglass made with matched metal molds. Slip resistant surface. Trimmable to accommodate other structure. Size 12" x 60". Color: White.



1USTI





Drain Assemblies

60.300A, 60.300	ABN Drain Assembly		
1	Model	Color	UPC
	60.300A	White	6 71031 00392 8
	60.300ABN	Bone	6 71031 00393 5
	Use to replace batht	ub waste line and connect	to existing DWV sanitary pipe.

82.400A Drain Assembly



ModelColorUPC82.400A6 71031 00220 4PVC drain assembly for 1-1/2" PVC pipe solvent welded DWV sanitary pipe.

42.400A Drain Assembly



111	шу		
	Model	Color	UPC
	42.400A		


PVC drain assembly for 2" PVC pipe solvent welded DWV sanitary pipe.

42.317A, 42.320, 42.321 Drain Assembly

	Model	Color	UPC	
_	42.317A	Drain assembly	6 71031 00167 2	
	42.320 Optional	Drain for 2" copper (DWV)	6 71031 00309 6	
	42.321 Optional	Drain seal for 2" soil pipe (SW)		

Use to replace bathtub waste line and connect to existing DWV sanitary pipe.

Continuous Water Barrier Kit



The 360.210 Continuous Water Barrier Kit creates an effective water barrier for the shower threshold that easily collapses for wheelchairs or walkers then instantly reforms to keep water from escaping.

 Model
 UPC

 360.210
 6 71031 00479 6

GapSeal-Pro[™] — For all shower floors and bathtubs

1	Model No.	Description	UPC
	60.320A	132" long x 2" tall	6 71031 00496 3

The flexible PVC GapSeal-Pro[™] features a strong adhesive strip that allows it to be easily positioned to "extend" the tile flange and effectively seal the gap between drywall or like-surfaces on shower floors or bathtubs. Patent pending.





DURAWALL® Shower Walls

Mustee offers several premium-quality VARISTONE® fiberglass and DURAWALL® thermoplastic shower walls to best fit the needs of your Model 360 ShowerTub™ Easy Access Shower Floor application.

572T VARISTONE[™] — PREMIUM FIBERGLASS, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

Engl N		and the second	10	10
	<u>Řú</u>	1		
		_6		1000
E		'	5	
		7	3 1	
		1	3	

Model No.	Description	UPC
572TWHT	Widths to 60", depths to 34"	6 71031 00420 8
572TBN	Widths to 60", depths to 34"	6 71031 00421 5
Optional 572.30	0 VARISTONE® shelfsee product description above.	

572.300 VARISTONE[®] Shelves



VARISTONE® shelves adhesive mount to the walls. Use on 572T and 760T-30WHT.

Model No.	Color	UPC
572.300	White	6 71031 00385 0
572.300BN	Bone	6 71031 00386 7

760T-30WHT DURAWALL* — PREMIUM FIBERGLASS, 5-PANEL RECTANGULAR SHOWER WALLS, DIRECT-TO-STUD MOUNT

	Model No.	Description	UPC	
4	760T-30WHT	Widths to 60", depths to 30"	_	
	Optional 572.300) VARISTONE® shelfsee product description above.		

260 DURAWALL* - THERMOPLASTIC, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

	Model No.	Description	UPC
	260WHT	Widths to 60", depths to 40"	6 71031 00053 8
Å 2	260BN	Widths to 60", depths to 40"	6 71031 00050 7

265 DURAWALL* — THERMOPLASTIC, 5-PANEL RECTANGULAR SHOWER WALLS, ADHESIVE MOUNT

C	Model No.	Description	UPC
	265WHT	Widths to 71", depths to 41-1/2"	6 71031 00478 9





CareGiver® Grab Bars

A wide range of straight and angled 304 stainless steel grab bars.

11/2" DIA. INSIDE CORNER STYLES — SAFETY GRAB BARS

12"~>↓	Model	Α	– Size –	В	C	UPC
A	390.304	34"		18″	90°	6 71031 00362 1
	390.303	42"		20"	90°	6 71031 00361 4

11/2" DIA. ANGLED — SAFETY GRAB BARS

Ĩ.	Model	A – Size –	В	С	UPC
A	390.308	24"	16"	90°	6 71031 00436 9
5	390.309	32"	16"	90°	6 71031 00437 6
A *1					
	390.310	24"	16"	90°	6 71031 00438 3
B 25"	390.311	32"	16"	90°	6 71031 00439 0
er in	390.312	30"		90°	6 71031 00440 6
	390.313	12"	No Corner Flange	120°	6 71031 00441 3
	390.314	16"		120°	6 71031 00442 0
Rotate for RH or LH use	390.315	24"		120°	6 71031 00443 7

11/2" DIA. STRAIGHT - SAFETY GRAB BARS

B	Model	Size	UPC		
G Size	390.305	18"	6 71031 00452 9		
~	390.301	24"	6 71031 00359 1		
	390.306	36"	6 71031 00434 5		
	390.307	42"	6 71031 00435 2		
	390.302	48"	6 71031 00360 7		

CareGiver® Fold-Down Shower Seats

CareGiver® Fold-Down Shower Seats can be ordered in Right hand, Left hand and Rectangular Fold-Down and Leg-supported styles.

	RIGHT-HAND SEAT — WALL MOUNT			26", 32" 14½"	RIGHT-H	GHT-HAND SEAT - WITH LEGS		
26", 32"14½"	Model	Size	UPC		Model	Size	UPC	
21"	390.401	26" x 21"	6 71031 00363 8	21"	390.407	26" x 21"	6 71031 00446 8	
LEFT-HAND SEAT — WALL MOUNT			14 ¹ / ₂ 26", 32"	LEFT-HAND SEAT - WITH LEGS				
141/2" 26"; 32"	Model	Size	UPC		Model	Size	UPC	
12" 21"	390.402	26" x 21"	6 71031 00364 5	12" 21"	390.405	26" x 21"	6 71031 00444 4	
	RECTANGULAR SEAT — WALL MOUNT			14 ¹ / ₂ 26", 32"	RECTANGULAR SEAT WITH LEGS			
26 ", 32" _	Model	Size	UPC		Model	Size	UPC	
14½"	390.409	26" x 14½"	6 71031 00448 2		390.411	26" x 14½"	6 71031 00450 5	

